



Your complimentary use period has ended. Thank you for using PDF Complete.

Deeble County Regulations Department

Phone 937-456-8171
Fax 937-456-9438

Click Here to upgrade to Unlimited Pages and Expanded Features

Eaton, OH 45320

INSULATION VERIFICATION FORM

OWNER'S NAME _____

JOB ADDRESS _____

CONTRACTOR _____

CONT. ADDRESS _____

PHONE _____

I, the undersigned verify all insulation will be installed as per minimum requirements listed below at the above named job site.

CONTRACTOR

DATE

MINIMUM REQUIREMENTS

Ceiling - R-38 (Vaulted or Cathedral Ceilings R-30)

Exterior Walls - 2 x 6 walls with R-19 Batts

OR 2 x 4 walls w/R-13 Batts plus (+) R-5 Sheathing on outside of walls

Floor Joist R-30 Slabs R-10 Basement Walls R-10

Crawlspaces - inside of crawlspace wall R-10 **(Use both for maximum value)**
under floor of crawlspace R-30

_____ Check here if using spray-on cellulose Nu-Wool WallSeal system

_____ Other (must provide spec sheet)

Duct Insulation & Sealing:

1. Unconditioned Attics and Exterior: R-8 min In floor trusses: R-6 minimum
2. Sealing: All ducts, air handlers, & filter boxes shall be fully sealed using UL 181 tape or mastic